


20377306-王诗哲-数据库第一次作业

1.创建数据库

```
Create database Teach_Mt20377306
```



2.创建关系表


```
Create table department20377306(Dno char(4) not null primary key,  
                                sdept char(20) not null);
```

```
Create table student20377306(Sno char(8) not null Primary key,  
                              Sname char(20) not null unique,  
                              sdept char(20) not null,  
                              Ssex char(2) not null,  
                              Sage smallint not null check (Sage<30),  
                              Sbirthday Date null  
                              );
```

```
Create table course20377306(Cno char(4) primary key,  
                              Cname char(40) not null,  
                              Ccredit smallint check(Ccredit<9),  
                              Cjno char(4),  
                              Foreign key(Cjno) References course20377306(Cno)  
                              );
```

```
Create table sc20377306(Sno char(8) not null,  
                        Cno char(4) not null,  
                        Grade tinyint check(Grade<101),  
                        Primary key(Sno,Cno),  
                        Foreign key(Sno) References student20377306(Sno),  
                        Foreign key(Cno) References course20377306(Cno)  
                        );
```

- Teach_Mt20377306
 - 数据库关系图
 - 表
 - 系统表
 - FileTables
 - 外部表
 - 图形表
 - dbo.course20377306
 - dbo.department20377306
 - dbo.sc20377306
 - dbo.student20377306
 - 视图



3.插入表中数据

```
insert into department20377306 values('1','CS')
insert into department20377306 values('2','IS')
insert into department20377306 values('3','MA')
```

```
select * from department20377306
```

```
insert into student20377306 values('20377100','李雪','CS','女',20,'2002-7-5')
insert into student20377306 values('20377101','王晨','CS','男',19,'2003-8-5')
insert into student20377306 values('20377102','刘洋','IS','男',19,'2003-9-10')
```

```
insert into student20377306 values('20377103','陈敏','MA','女',18,'2004-6-10')
insert into student20377306 values('20377104','刘远','IS','男',19,'2003-9-19')
```

```
select * from student20377306
```

```
ALTER TABLE course20377306
```

```
DROP CONSTRAINT FK__course2037__Cpno__30F848ED
```

```
insert into course20377306 values('1','现代程设',2,'3')
insert into course20377306 values('2','数学分析',6,'1')
insert into course20377306 values('3','计算机基础',4,'2')
insert into course20377306 values('4','数据库',2,'3')
insert into course20377306 values('5','信息系统',3,'4')
```

```
select * from course20377306
```

```
insert into sc20377306 values('20377100','1',90)
insert into sc20377306 values('20377102','3',87)
insert into sc20377306 values('20377103','2',96)
insert into sc20377306 values('20377104','4',90)
insert into sc20377306 values('20377101','5',98)
```

```
select * from sc20377306
```

department20377306:

	Dno	Sdept
1	1	CS
2	2	IS
3	3	MA

student20377306;

	Sno	Sname	Sdept	Ssex	Sage	Sbirthday
1	20377100	李雷	CS	女	20	2002-07-05
2	20377101	王晨	CS	男	19	2003-08-05
3	20377102	刘洋	IS	男	19	2003-09-10
4	20377103	陈敏	MA	女	18	2004-06-10
5	20377104	刘远	IS	男	19	2003-09-19

course20377306:

	Cno	Cname	Ccredit	Cpno
1	1	现代程设	2	3
2	2	数学分析	6	1
3	3	计算机基础	4	2
4	4	数据库	2	3
5	5	信息系统	3	4

sc20377306:

	Sno	Cno	Grade
1	20377100	1	90
2	20377101	5	98
3	20377102	3	87
4	20377103	2	96
5	20377104	4	90